

Customer: Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic

Sample:

Sample: 08-12346

Date received: 01.01.2008

Sample type: buccal swab

Information provided by the customer

Name: Madame Théophile DEMO

Breed: Persian cat

Date of birth: 31.12.1909

Reg. number: (CZ)ABCD EF 123/45/XYZ

Microchip: 123456789012345

Sex: female

Date of sampling: 01.01.2008

The identity of the animal has been checked.

Result: negative

Explanation

Presence or absence of *Chlamydomphila felis* DNA in the sample was tested by real-time PCR.

In the case of positive result for the presence of *Chlamydomphila felis*, please, contact a veterinarian!

Method: SOP98, real-time PCR

Date of issue: 06.01.2008

Date of testing: 12.06.2008 - 06.01.2008

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the sample as received. Genomia is not responsible for the accuracy of the information provided by the customer.