

**Customer:** Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic

**Sample:**

Sample: 08-12346

Date received: 01.01.2008

Sample type: buccal swab

Information provided by the customer

**Name:** Madame Théophile DEMO

**Breed:** Persian cat

Date of birth: 31.12.1909

Reg. number: (CZ)ABCD EF 123/45/XYZ

Microchip: 123 456 789 012 345

Sex: female

Date of sampling: 01.01.2008

The identity of the animal has been checked.

**Result: negative**

**Explanation**

Presence or absence of *Chlamydomophila felis* DNA in the sample was tested by real-time PCR.

In the case of positive result for the presence of *Chlamydomophila felis*, please, contact a veterinarian!

Method: SOP98, real-time PCR

Date of issue: 06.01.2008

Date of testing: 12.06.2008 - 06.01.2008

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic  
[www.genomia.cz](http://www.genomia.cz), [laborator@genomia.cz](mailto:laborator@genomia.cz), tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at [www.genomia.cz](http://www.genomia.cz)

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.