GENOMIA
genetic laboratory

Result certificate #012345

Detection of g.28697542-28705340del7799 mutation in NHEJ1 gene causing CEA in several dog breeds

Customer: Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic
Sample:
Sample: 21-12345
Date received: 01.02.2021
Sample type: blood

Information provided by the customer
Name: Lassie DEMO
Breed: Plemeno
Tattoo number: 1392013
Microchip: 123 456 789 012 345
Reg. number: REGQ12345
Date of birth: 1.1.2020
Sex: female
Date of sampling: 01.02.2021
The identity of the animal has been checked.

Result: Mutation was not detected (N/N)

Legend: N/N = wild-type genotype. N/P = carrier of the mutation. P/P = mutated genotype (individual will be most probably affected with the disease). (N = negative, P = positive)

Explanation

Presence or absence of g.28697542-28705340del7799 mutation in NHEJ1 gene causing Collie eye anomaly (CEA) was tested. CEA is known to affect Australian Shepherd, Border Collie, Boykin Spaniel, Lancashire heeler, Longhaired whippet, Nova Scotia Duck Tolling retriever, Rough and Smooth Collie, Shetland Sheepdog and Silken windhound.

Mutation that causes CEA is inherited as an autosomal recessive trait. That means the disease affects dogs with P/P genotype only. The dogs with N/P genotype are considered carriers of the disease (heterozygotes). In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N (healthy non-carriers), 25 % P/P (affected), and 50 % N/P (healthy carriers).

Method: SOP188-MPS-canine, MPS

Date of issue: 06.02.2021
Date of testing: 01.02.2021 - 06.02.2021
Approved by: Mgr. Martina Šafrová, Laboratory Manager

verified and certified document GENOMIA genetic laboratory

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz
Without a written consent by the lab, the report must not be reproduced unless as a whole.
The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

SAMPLE