

Customer: Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic

Sample:

Sample: 21-12345

Date received: 01.02.2021

Sample type: blood

Information provided by the customer

Name: Lassie DEMO

Breed: Plemeno

Tattoo number: 1392013

Microchip: 123 456 789 012 345

Reg. number: REGQ12345

Date of birth: 1.1.2020

Sex: female

Date of sampling: 01.02.2021

The identity of the animal has been checked.

Result: Mutation was not detected (N/N)

Legend: N/N = wild-type genotype. N/P = carrier of the mutation. P/P = mutated genotype (individual will be most probably affected with the disease). (N = negative, P = positive)

Explanation

Presence or absence of c.1981G>A mutation in the ADAMTS10 gene causing POAG (Primary open angle glaucoma) in beagles was tested. The POAG glaucoma is characterized by elevated intraocular pressure (IOP), loss of retinal ganglion cells and atrophy of the optic nerve.

The clinical symptoms in Beagles occur between 9 and 18 months of age. They are very different and depend on the duration and rate of disease development and the age of the dog.

Mutation that causes POAG in beagles is inherited as an autosomal recessive trait. That means the disease affects dogs with P/P (positive/positive) genotype only. The dogs with N/P (negative/positive) genotype are considered carriers of the disease (heterozygotes), they are healthy but they can transmit the mutation on their offspring. In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N (healthy non-carriers), 50 % N/P (healthy carriers) and 25 % P/P (affected).

Method: SOPAgriseq_canine, ngs, accredited method

Date of issue: 06.02.2021

Date of testing: 01.02.2021 - 06.02.2021

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia is accredited in compliance with ISO/IEC 17025:2018 under #1549

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic

www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999



Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.