

**Customer:** Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic

**Sample:**

Sample: 21-12345

Date received: 01.02.2021

Sample type: blood

Information provided by the customer

**Name:** Lassie DEMO

**Breed:** Plemeno

Tattoo number: 1392013

Microchip: 123 456 789 012 345

Reg. number: REGQ12345

Date of birth: 1.1.2020

Sex: female

Date of sampling: 01.02.2021

The identity of the animal has been checked.

**Result: negative**

**Explanation**

Presence or absence of Chlamydophila spp. DNA in the sample was tested by real-time PCR.

In the case of positive result for the presence of Chlamydophila spp., please, contact a veterinarian!

Method: SOP098, real-time PCR

Date of issue: 06.02.2021

Date of testing: 01.02.2021 - 06.02.2021

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic  
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at [www.genomia.cz](http://www.genomia.cz)

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.