GENOMIA
genetic laboratory

Result certificate #012345

Detection of c.1657T>G mutation of VWF gene causing vWDII in Chinese Crested Dogs and German Pointers

Customer: Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic
Sample:
Sample: 21-12345
Date received: 01.02.2021
Sample type: blood

Information provided by the customer
Name: Lassie DEMO
Breed: Plemeno
Tattoo number: 1392013
Microchip: 123 456 789 012 345
Reg. number: REGQ12345
Date of birth: 1.1.2020
Sex: female
Date of sampling: 01.02.2021
The identity of the animal has been checked.

SAMPLE

Result: Mutation was not detected (N/N)

Legend: N/N = wild-type genotype. N/P = carrier of the mutation. P/P = mutated genotype (individual will be most probably affected with the disease). (N = negative, P = positive)

Explanation

Presence or absence of c.1657T>G mutation of VWF gene causing von Willebrand disease type II (vWDII) in Chinese Crested Dogs and German Shorthaired and Wirehaired Pointers was tested. Von Willebrand's disease is a blood clotting disorder. Type II disorder is characterised by qualitative deficiency and functional anomalies of von Willebrand factor and is manifested by moderate to severe bleeding.

Mutation that causes VWDII is inherited as an autosomal recessive trait. That means the disease affects dogs with P/P genotype only. The dogs with N/P genotype are considered carriers of the disease (heterozygotes). In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N, 25 % P/P and 50 % N/P.

Method: SOP188-MPS-canine, MPS, accredited method

Date of issue: 06.02.2021
Date of testing: 01.02.2021 - 06.02.2021
Approved by: Mgr. Martina Šafrová, Laboratory Manager

verified and certified document
GENOMIA genetic laboratory

Genomia is accredited in compliance with ISO/IEC 17025:2018 under #1549
Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

ilac-MRA L 1549

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz
Without a written consent by the lab, the report must not be reproduced unless as a whole.
The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.