

Detection of c.325G>A mutation in  
MICOS13 gene causing ventricular  
arrhythmias and sudden death in  
Rhodesian Ridgebacks

**Customer:** Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic

**Sample:**

Sample: 21-12345

Date received: 01.02.2021

Sample type: blood

Information provided by the customer

**Name:** Lassie DEMO

**Breed:** Plemeno

Tattoo number: 1392013

Microchip: 123 456 789 012 345

Reg. number: REGQ12345

Date of birth: 1.1.2020

Sex: female

Date of sampling: 01.02.2021

The identity of the animal has been checked.

**Result: Mutation was not detected (N/N)**

**Legend:** N/N = wild-type genotype. N/P = carrier of the mutation. P/P = mutated genotype (individual will be most probably affected with the disease). (N = negative, P = positive)

**Explanation**

Presence or absence of c.325G>A mutation in MICOS13 gene, which is in Rhodesian Ridgebacks strongly associated with ventricular arrhythmias and possible sudden death, was tested. Ventricular arrhythmias are heart rhythm disturbances that originate in the heart's ventricular musculature. They are manifested by a significant palpitation and a decrease in minute cardiac output, leading to shortness of breath, fatigue, hypotension, and even sudden cardiac death.

Mutation that causes ventricular arrhythmias and possible sudden death is inherited probably autosomally recessively which means that the disease develops only in those dogs who inherit mutated allele from both parents; disease affects dogs with P/P genotype only. The dogs with N/P genotype are considered carriers of the disease (heterozygotes). In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N, 25 % P/P and 50 % N/P.

Method: SOP188-MPS-canine, MPS, accredited method

Date of issue: 06.02.2021

Date of testing: 01.02.2021 - 06.02.2021

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia is accredited in compliance with ISO/IEC 17025:2018 under #1549

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic

www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999



Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at [www.genomia.cz](http://www.genomia.cz)

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.