

Customer: Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic

Sample:

Sample: 21-12345

Date received: 01.02.2021

Sample type: blood

Information provided by the customer

Name: Lassie DEMO

Breed: Plemeno

Tattoo number: 1392013

Microchip: 123 456 789 012 345

Reg. number: REGQ12345

Date of birth: 1.1.2020

Sex: female

Date of sampling: 01.02.2021

The identity of the animal has been checked.

Health summary

clear: 260

no effect: 7

carrier: 4

may affect: 2

Appearance					
Name	Abbr.	Gene	Mutation	Copies	Result
Locus A, Recessive Black	a allele	ASIP	c.286C>T	0	no effect
Locus A, Fawn	A ^y allele	ASIP	c.246G>T, c.250G>A	0	no effect
Locus K, Dominant Black or Brindle	K allele	CBD103	c.67_69delGGA	1	may affect
Locus K, Recessive Yellow	ky allele	CBD103	c.67_69delGGA	1	carrier
Screw tail, Robinow-like syndrom		DVL2	c.2051del	0	no effect
Coat length	allele M3	FGF5	c.556_571del	0	no effect
Coat length	allele M4	FGF5	c.559_560dupGG	0	no effect
Coat length	allele M5	FGF5	c.578C>T	0	no effect
Coat length	allele M1	FGF5	c.284G>T	2	long coat
Locus cocoa		HPS3	c.2420G>A	0	no effect
Panda White Spotting (discovered in German Shepherds)		KIT	c.140_141insA	0	no effect
Curly Coat	c1 allele	KRT71	c.451C>T	0	no effect
Locus EM, Melanistic mask	EM allele	MC1R	c.790A>G	0	no effect
Locus E, Recessive Red	e1 allele	MC1R	c.916C>T	2	cream/red
Locus E, Recessive Red	e2 allele	MC1R	c.-432G>C	0	no effect
Locus E, Recessive Red	e3 allele	MC1R	c.816_817del	0	no effect
Locus E, grizzle and domino	allele EG	MC1R	c.233G>T	0	no effect
Locus E, sable (discovered in Cocker Spaniels)	allele EH	MC1R	c.250G>A	0	no effect
Locus I, phaeomelanin dilution	Locus I	MFSD12	c.151C>T	0	no effect
Locus D, eumelanin dilution	d1 allele	MLPH	c.-22G>A	0	no effect

 Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Locus D, eumelanine dilution	d2 allele	MLPH	c.705G>C	0	no effect
Harlequin coat pattern	h allele	PSMB7	c.146T>G	0	no effect
Hairlessness (discovered in American Hairless Terriers)		SGK3	c.287_290delTTAG	0	no effect
Short Tail		T	c.189C>G	0	no effect
Locus B, chocolate	b ^d allele	TYRP1	c.1033_1035del	1	may affect
Locus B, chocolate	b ^s allele	TYRP1	c.991C>T	0	no effect
Locus B, chocolate	b ^c allele	TYRP1	c.121T>A	2	brown
Locus B, chocolate (discovered in Australian Shepherds)	b ^{aus} allele	TYRP1	c.555T>G	0	no effect
Autosomal dominant disorders					
Name	Abbr.	Gene	Mutation	Copies	Result
Ichthyosis (discovered in German Shepherds)	ICTA	ASPRV1	c.1052T>C	0	clear
Multiple ocular defects (discovered in Bobtails)	MOD	COL11A1	c.1775T>C	0	clear
Craniomandibular Osteopathy (discovered in Terriers)	CMO	COL1A1	c.1332C>T	0	clear
Osteogenesis Imperfecta (discovered in Golden Retrievers)		COL1A1	c.1145G>C	0	clear
Osteogenesis Imperfecta (discovered in Beagle)	OI	COL1A2	c.3656_3859delinst GTCATTGG	0	clear
Centronuclear Myopathy (discovered in Border Collies)	CNM	DNM2	c.1393C>T	0	clear
Renal Cystadenocarcinoma and Nodular Dermatofibrosis (discovered in German Shepherds)	RCND	FLCN	c.764A>G	0	clear
Alexander disease (discovered in Labrador Retrievers)		GFAP	c.719G>A	0	clear
Polyneuropathy (discovered in Leonbergers)	LPN2	GJA9	c.1107_1108delAG	0	clear
Polyneuropathy (discovered in Golden Retrievers)		MPZ	c.434T>C	0	clear
Muscular Hypertrophy, Double Muscling (discovered in Whippets)		MSTN	c.939_940delTG	0	clear
Periodic Fever Syndrome (discovered in Shar-Pei)	SPAID	MTBP	c.2623G>A	0	clear
May-Hegglin anomaly (discovered in Pugs)	MHA	MYH9	c.5521G>A	0	clear
Polycystic kidney disease (discovered in English Bull Terriers)	BTPKD	PKD1	c.9559G>A	0	clear
Dominant Progressive Retinal Atrophy (Discovered in English Mastiffs and Bullmastiffs)	AD-PRA	RHO	c.11C>G	0	clear
Malignant Hyperthermia (discovered in many breeds)	MH	RYR1	c.1643T>C	0	clear
Delayed postoperative hemorrhage (discovered in the Scottish Deerhounds)	DEPOH	SERPINF2	c.605C>T	0	clear
Cystinuria Type II-A (discovered in Australian Cattle Dogs and Koolies)		SLC3A1	c.1098_1103del	0	clear
Cystinuria Type II-B (discovered in Miniature Pinschers)		SLC7A9	c.964G>A	0	clear
Autosomal recessive disorders					
Name	Abbr.	Gene	Mutation	Copies	Result
Stargardt disease 1 (discovered in Labrador Retrievers)	STGD	ABCA4	c.4176dup	0	clear
Dilated Cardiomyopathy (discovered in Manchester Terriers)	DCM	ABCC9	c.3557G>A	0	clear
Ichthyosis 2 (discovered in Golden Retrievers)	ICTA2	ABHD5	c.1006_1019del	0	clear
Amelogenesis imperfecta (discovered in Akitas)	AI	ACP4	c.1189dupG	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Lipid malabsorption (discovered in Australian Kelpies)	ILM	ACSL5	g.23380074_23483377del	0	clear
Primary open angle glaucoma (discovered in Norwegian Elkhounds)	POAG	ADAMTS10	c.1159G>A	0	clear
Primary open angle glaucoma (discovered in Beagles)	POAG	ADAMTS10	c.1981G>A	0	clear
Primary Lens Luxation (discovered in many breeds)	PLL	ADAMTS17	c.1473+1G>A	0	clear
Primary open angle glaucoma and the primary lens luxation (discovered in Shar Peis)	POAG-PLL	ADAMTS17	c.3069_3074del	0	clear
Cleft lip with or without cleft palate (discovered in Nova Scotia Duck Tolling retrievers)	CLPS (CL/P)	ADAMTS20	c.1358_1359del	0	clear
Musladin-Lueke Syndrome (discovered in Beagles)	MLS	ADAMTSL2	c.661C>T	0	clear
Glycogen Storage Disease Type IIIa (discovered in Curly Coated Retrievers)	GSD IIIa	AGL	c.4223del	0	clear
Inflammatory pulmonary disease (discovered in Border Collies)	IPD	AKNA	c.2717_2720delACA G	0	clear
Succinic semialdehyde dehydrogenase deficiency (discovered in Salukis)	SSADHD	ALDH5A1	c.866G>A	0	clear
Hypophosphatasia (discovered in Karelian bear dogs)		ALPL	c.1301T>G	0	clear
Persistent Mullerian duct syndrome (discovered in Schnauzer Miniature)	PMDS	AMHR2	c.262C>T	0	clear
Respiratory distress syndrome (discovered in Dalmatians)	ARDS	ANLN	c.31C>T	0	clear
Scott Syndrome (discovered in German Shepherds)	CSS	ANO6	c.1934+1G>A	0	clear
Polyneuropathy (discovered in Leonbergers and Saint Bernards)	LPN1	ARHGEF10	c.1955_1958+6del	0	clear
Mucopolysaccharidosis VI (discovered in Miniature Pinschers)	MPS VI	ARSB	c.910G>A	0	clear
Neuronal ceroid lipofuscinosis 4A (discovered in American Staffordshire Terriers and American Pitbul Terriers)	NCL-A	ARSG	c.296G>A	0	clear
Neonatal encephalopathy with seizures (discovered in Standard Poodles)	NEWS	ATF2	c.152T>G	0	clear
Lysosomal Storage Diseases (discovered in Lagotto romagnolo)	LSDs	ATG4D	c.1288G>A	0	clear
Neuronal ceroid lipofuscinosis 12 (discovered in Tibetan Terriers)	NCL 12	ATP13A2	c.1623del	0	clear
Neuronal ceroid lipofuscinosis 12 (discovered in Australian Cattle Dogs)	NCL12	ATP13A2	c.1118C>T	0	clear
Bardet-Biedl syndrome 2 (discovered in Shetland Sheepdogs)	BBS2	BBS2	c.1222G>C	0	clear
Bardet-Biedl syndrome 4 (discovered in Puli)	BBS4	BBS4	c.58A>T	0	clear
Episodic Falling Syndrome (discovered in Cavalier King Charles Spaniels)	EFS	BCAN	c.-13991_466+85del insGGCCTT	0	clear
Canine Multifocal Retinopathy 1 (discovered in Boerboel, Bull Mastiff, English Mastiff, Great Pyrenees)	CMR1	BEST1	c.73C>T	0	clear
Canine Multifocal Retinopathy 2 (discovered in Coton de Tulear)	CMR2	BEST1	c.482G>A	0	clear
Multifocal retinopathy 3 (discovered in Finnish Lapphund, Laponian Herder)	CMR3	BEST1	c.1388del	0	clear
Inherited Myopathy (discovered in Great Danes)	IMGD	BIN1	c.786-2A>G	0	clear
Spinocerebellar ataxia, Late Onset Ataxia (discovered in Russell Terriers)	LOA	CAPN1	c.344G>A	0	clear
Mycobacterium Avium Complex (discovered in Miniature Schnauzers)	MAC	CARD9	deletion	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Hypocalcemia (discovered in Beagles and other breeds)		CAT	c.979G>A	0	clear
Early onset Progressive retinal atrophy (discovered in Portuguese water dogs)	EOPRA	CCDC66	c.2262_c.2263insA	0	clear
Deafness (discovered in Beaucerons)		CDH23	c.700C>T	0	clear
Congenital myasthenic syndrome (discovered in Old Danish Pointing Dogs)	CMS	CHAT	c.85G>A	0	clear
Myasthenic syndrome (discovered in Heideterriers)	CMS	CHRNE	c.1436_1437insG	0	clear
Myasthenic syndrome (discovered in Russell Terriers)	CMS	CHRNE	c.636_637insC	0	clear
Myotonia Congenita (discovered in Miniature Schnauzer)	MC	CLCN1	c.803C>T	0	clear
Congenital Myotonia (discovered in Australian Cattle Dogs and Border Collies)	MC	CLCN1	c.2647_2648insA	0	clear
Neuronal ceroid lipofuscinosis type 5 (discovered in Border Collies)	NCL5	CLN5	c.619C>T	0	clear
Neuronal ceroid lipofuscinosis type 6 (discovered in Australian Shepherds)	NCL6	CLN6	c.829T>C	0	clear
Neuronal ceroid lipofuscinosis 8 (discovered in English Setter)	NCL8	CLN8	c.491T>C	0	clear
Neuronal ceroid lipofuscinosis type 8 (discovered in Alpine Dachsbrackes)	NCL8	CLN8	g.30852988_30902901del	0	clear
Progressive retinal atrophy (discovered in Shetland Sheepdogs)	PRA	CNGA1	c.1752_1755del	0	clear
Achromatopsia (discovered in German Shepherds)		CNGA3	c.1270C>T	0	clear
Achromatopsia (discovered in Labrador Retrievers)		CNGA3	c.1931_1933del	0	clear
Progressive retinal atrophy (discovered in Papillons)	Pap-PRA1	CNGB1	c.2387_2389delinsC TAGCTAC	0	clear
Achromatopsia-3 (discovered in German Shorthaired Pointers)		CNGB3	c.784G>A	0	clear
Laryngeal paralysis and polyneuropathy (discovered in Labrador Retrievers, Leonbergers, St. Bernards)	LPPN3	CNTNAP1	c.2810G>A	0	clear
Familial Nephropathy (discovered in the English Cocker Spaniel)	FN	COL4A4	c.115A>T	0	clear
Hereditary Nephropathy (discovered in English Springer Spaniels)	ARHN	COL4A4	c.2713C>T	0	clear
Muscular dystrophy (discovered in Landseers)	MDL	COL6A1	c.289G>T	0	clear
Muscular dystrophy, Ullrich type (discovered in Labrador Retrievers)	MDL	COL6A3	c.4726C>T	0	clear
Muscular dystrophy, Ullrich type (discovered in Labrador Retrievers)	MDL	COL6A3	c.6210+1G>A	0	clear
Muscular dystrophy, Ullrich type (discovered in American Staffordshire Terriers)	MDL	COL6A3	c.6398del	0	clear
Epidermolysis bullosa (discovered in Golden Retrievers)		COL7A1	c.5716G>A	0	clear
Recessive dystrophic epidermolysis bullosa (discovered in Central Asian Shepherds)	RDEB	COL7A1	c.4579C>T	0	clear
Neuronal ceroid lipofuscinosis 10 (discovered in American Bulldogs)	NCL10	CTSD	c.597G>A	0	clear
Imerslund-Grasbeck Syndrome, Intestinal Malabsorption of Cobalamin (discovered in Beagles)	IGS	CUBN	c.786del	0	clear
Imerslund-Grasbeck Syndrome, Intestinal Malabsorption of Cobalamin (discovered in Border Collies)	IGS	CUBN	c.8392del	0	clear
Imerslund-Grasbeck Syndrome, Intestinal Malabsorption of Cobalamin (discovered in Komondor)	IGS	CUBN	c.8746+1G>A	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Vitamin D-deficiency rickets, type IA (discovered in Pugs)		CYP27B1	c.261C>A	0	clear
Myoclonic Epilepsy (discovered in Rhodesian ridgebacks)	JME	DIRAS1	c.564_567del	0	clear
Exercise-Induced Collapse (discovered in Labrador Retrievers)	EIC	DNM1	c.767G>T	0	clear
Dyserythroid anemia and myopathy syndrome (discovered in Labrador Retrievers)	DAMS	EHBP1L1	c.388C>T	0	clear
Amelogenesis imperfecta (discovered in Italian Greyhound)	AI	ENAM	c.1991_1995delTTTCC	0	clear
Deafness (discovered in Rhodesian Ridgeback)		EPS8L2	c.1033_1044del	0	clear
Factor VII deficiency (discovered in many breeds)	FVII def	F7	c.407G>A	0	clear
Dental Hypomineralization (discovered in Border Collies)	RS	FAM20C	c.899C>T	0	clear
Palmoplantar hyperkeratosis (discovered in Irish Terriers and Kromfohrländers)	HFH	FAM83G	c.155G>C	0	clear
Fanconi syndrome (discovered in Basenjis)	FS	FAN1	g.38013703_38014019del	0	clear
Leukocyte Adhesion Deficiency III (discovered in German Shepherds)	LAD3	FERMT3	c.1349_1350insAAGACGGCTGCC	0	clear
Hypomyelination of the central nervous system (discovered in Weimaraners)		FNIP2	c.1078del	0	clear
Cataract (discovered in Wirehaired Pointing Griffons)		FYCO1	c.2024delG	0	clear
Glycogen storage disease Ia (discovered in Maltese)	GSDIa	G6PC	c.363G>C	0	clear
Glycogen storage disease II, Pompe disease (discovered in Lapphunds)	GSDII	GAA	c.2237G>A	0	clear
Globoid cell leukodystrophy, Krabbe disease (discovered in West Highland White Terriers and Cairn Terriers)	GLD	GALC	c.473A>C	0	clear
Acral mutilation syndrome (discovered in English Springer Spaniels and other breeds)	AMS	GDNF	g.70875561C>T	0	clear
Gangliosidosis 1 (discovered in Alaskan Husky)	GM1	GLB1	c.1688_1706dup	0	clear
Gangliosidosis 1 (discovered in Portuguese water dogs)	GM1	GLB1	c.179G>A	0	clear
Gangliosidosis 1 (discovered in Shiba-Inu)	GM1	GLB1	c.1649delC	0	clear
Bernard-Soulier syndrome (discovered in Cocker Spaniels)	BSS	GP9	c.127_*2052del	0	clear
Progressive retinal atrophy (discovered in German Spitz)	PRA	GUCY2D	c.1598_1599insT	0	clear
Mucopolysaccharidosis VII (discovered in German Shepherds)	MPS VII	GUSB	c.497G>A	0	clear
Mucopolysaccharidosis VII (discovered in Brazilian Terriers)	MPS VII	GUSB	c.866C>T	0	clear
Centronuclear Myopathy (discovered in Labrador Retrievers)	CNM	HACD1	c.203_204ins[N[236];CACACAAAGGTTT]	0	clear
Ataxia (discovered in Norwegian Elkhounds)		HACE1	c.1001del	0	clear
Narcolepsy (discovered in Dachshunds)		HCRT2	c.160G>A	0	clear
Narcolepsy (discovered in Labrador Retrievers)		HCRT2	c.1105+5G>A	0	clear
Spondylocostal Dysostosis, Comma Defect (discovered in Miniature Schnauzers)	SCD	HES7	c.126delG	0	clear
Gangliosidosis type 1 (discovered in Japanese Chin dogs)	GM2	HEXA	c.967G>A	0	clear
Gangliosidosis II, Sandhoff disease (discovered in Toy Poodles)	GM2	HEXB	c.391del	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Gangliosidosis 2 (discovered in Shiba-Inu)	GM2	HEXB	c.618_620delCCT	0	clear
Progressive retinal atrophy 1 (discovered in Miniature Schnauzers)	PRA1	HIVEP3	g.1432293G>A	0	clear
Progressive retinal atrophy (discovered in Lapponian Herders)	PRA	IFT122	c.3176G>A	0	clear
Diffuse cystic renal dysplasia and hepatic fibrosis (discovered in Norwich Terriers)	HRFCD	INPP5E	c.1572+5G>A	0	clear
Chondrodysplazia (discovered in Karelian Bear Dogs and Norwegian Elkhounds Grey)		ITGA10	c.2083C>T	0	clear
Glanzmann thrombasthenia (discovered in Scottish Deerhounds)		ITGA2B	c.1192G>C	0	clear
Glanzmann thrombasthenia (discovered in Great Pyrenees)		ITGA2B	c.1360_1373dup	0	clear
Canine leukocyte adhesion deficiency (discovered in Irish Setters)	CLAD	ITGB2	c.107G>C	0	clear
Progressive retinal atrophy (discovered in Shih-Tzu)	PRA	JPH2	c.452A>C	1	carrier
Cerebellar ataxia (discovered in Norwegian Buhunds)		KCNIP4	c.436T>C	0	clear
Spongy Degeneration with Cerebellar Ataxia subtype 1 (discovered in Belgian Shepherds)	SDCA1	KCNJ10	c.986T>C	0	clear
Spinocerebellar Ataxia with Myokymia and/or Seizures (discovered in Russell Terriers and Smooth-Haired Fox Terriers)	SCA	KCNJ10	c.627C>G	0	clear
Prekallikrein deficiency (discovered in Shih-Tzu)		KLKB1	c.988T>A	0	clear
Hyperkeratosis (discovered in Norfolk Terriers)		KRT10	c.1125+1G>T	0	clear
L-2-Hydroxyglutaric aciduria (discovered in the Staffordshire Bull Terrier)	L2HGA	L2HGDH	c.1298_1300delinsC TT	0	clear
Muscular dystrophy - dystroglycanopathy (discovered in Labrador Retrievers)		LARGE	c.1363C>T	0	clear
Benign familial juvenile epilepsy (discovered in Lagotto Romagnolo)	JEP	LGI2	c.1558A>T	0	clear
Granulocyte hyposegmentation (discovered in Australian Shepherds)		LMBR1L	c.191+1G>A	0	clear
Dilated Cardiomyopathy (discovered in Nova Scotia Duck Tolling Retrievers)	DCM	LMNA	c.1726del	0	clear
Congenital myasthenic syndrome (discovered in Golden Retrievers)	CMS	LOC608697	c.880G>A	0	clear
Congenital myasthenic syndrome (discovered in Labrador Retrievers)	CMS	LOC608697	c.1010T>C	0	clear
Deafness (discovered in Rottweilers)		LOXHD1	c.5747G>C	0	clear
Congenital Stationary Night Blindness (discovered in Beagles)	CSNB	LRIT3	c.763del	0	clear
Alfa-mannosidosis (discovered in Dobermans)		MAN2B1	c.311A>G	0	clear
MDR1 Medication Sensitivity (discovered in many breeds)	MDR1	MDR1 (ABCB1)	c.228_231del	0	clear
Polioencephalopathy (discovered in Eurasiers)		MECR	c.823A>G	0	clear
Mitochondrial fission encephalopathy, (discovered in Bull Mastiffs)	MFE	MFF	c.471_475delinsCGC TCT	0	clear
Neuronal ceroid lipofuscinosis type 7 (discovered in Chihuahuas and Chinese Crested Dogs)	NCL7	MFSD8	c.846del	0	clear
Dental-skeletal-retinal anomaly (discovered in Cane Corso)	DSRA	MIA3	c.3822+3_3822+4de l	0	clear
Ventricular arrhythmias and sudden death (discovered in Rhodesian Ridgebacks)		MICOS13	c.325G>A	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Lethal Acrodermatitis (discovered in Bull Terriers)	LAD	MKLN1	c.400+3A>C	0	clear
Xanthinuria type II (discovered in Cavalier King Charles Spaniels and English Cocker Spaniels)	XU	MOCOS	c.383del	0	clear
Xanthinuria type II (discovered in Dachshunds)	XU	MOCOS	c.137T>C	0	clear
Xanthinuria type II (discovered in Manchester Terriers)	XU	MOCOS	c.232G>T	0	clear
Hypomyelinating polyneuropathy (discovered in Golden Retrievers)		MTMR2	c.1479+1G>A	0	clear
Dilute coat color with neurological defects (discovered in Miniature Dachshunds)	CDN/GST1	MYO5A	c.4973_4974insA	0	clear
Deafness (discovered in Doberman Pinschers)		MYO7A	c.3719G>A	0	clear
Leukoencephalomyelopathy (discovered in Great Danes and Rottweilers)	LEMP	NAPEPLD	c.345_346insC	0	clear
Early onset progressive polyneuropathy (discovered in Greyhound)		NDRG1	c.1080_1089del10	0	clear
Early onset progressive polyneuropathy (discovered in Alaskan Malamute)	AMPn	NDRG1	c.293G>T	0	clear
Myxomatous disease of the mitral valve (discovered in Cavalier King Charles Spaniels)	MMVD	NEBL3	g.11979724G/A	1	carrier
Progressive retinal atrophy (discovered in Giant Schnauzers)	PRA	NECAP1	c.544G>A	0	clear
Collie eye anomaly (discovered in Collies)	CEA	NHEJ1	7799bp deletion	0	clear
Congenital ichthyosis (discovered in American Bulldogs)		NIPAL4	c.744delC	0	clear
Primary ciliary dyskinesia (discovered in Alaskan Malamutes)	PCD	NME5	c.43delA	0	clear
Cone-rod dystrophy 2 (discovered in Wire-Haired Dachshunds)	CORD2	NPHP4	c.479_526+130del	0	clear
Goniodysgenesis and glaucoma (discovered in Border Collies)		OLFML3	c.590G>A	0	clear
Bleeding disorder (discovered in Greater Swiss Mountain Dogs)		P2RY12	c.516_518del	0	clear
Lundehund syndrom (discovered in Lundehunds)	LS	P3H2	c.1849G>C	0	clear
Skeletal dysplasia 3, Dwarfism (discovered in Vizslas)	SD3	PCYT1A	c.673T>C	0	clear
Rod-cone dysplasia 3 (discovered in Cardigan Welsh Corgi, Chinese Crested, Pomeranian)	PRA-rcd3	PDE6A	c.1847del	0	clear
Cone-rod dystrophy (discovered in American Staffordshire Terriers and American Pit Bull Terriers)	CRD1	PDE6B	c.2404_2406del	0	clear
Rod-cone dysplasia 1a (discovered in Sloughi)	PRA-rcd1	PDE6B	c.2448_2449insTGA AGTCC	0	clear
Rod-cone dysplasia 1 (discovered in Irish Setter)	PRA-rcd1	PDE6B	c.2421G>A	0	clear
Progressive retinal atrophy (discovered in Spanish Water Dogs)	PRA	PDE6B	c.2218-2223del	0	clear
Pyruvate dehydrogenase phosphatase 1 deficiency (discovered in Clumber and Sussex Spaniels)	PDP1	PDP1	c.829C>T	0	clear
Phosphofructokinase deficiency (discovered in American Cocker Spaniel, English Springer Spaniel, Whippet)	PFK	PFKM	c.2228G>A	0	clear
Glycogen storage disease VII (discovered in German Spaniels)	GSD VII	PFKM	c.550C>T	0	clear
Paroxysmal dyskinesia (discovered in Soft Coated Wheaten Terriers)		PIGN	c.398C>T	0	clear
Juvenile Brain Disease, Juvenile Encephalopathy (discovered in Russell Terriers)	JBD	PITRM1	c.175_180del	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Pyruvate kinase deficiency of erythrocyte (discovered in Labrador Retrievers)	PK deficit	PKLR	c.799C>T	0	clear
Pyruvate kinase deficiency of erythrocyte (discovered in Pugs)	PK deficit	PKLR	c.848T>C	0	clear
Pyruvate kinase deficiency (discovered in Beagles)	PK deficit	PKLR	c.994G>A	0	clear
Pyruvate kinase deficiency of erythrocyte (discovered in Basenji)	PK deficit	PKLR	c.433del	0	clear
Pyruvate kinase deficiency of erythrocyte (discovered in West Highland White Terriers)	PK deficit	PKLR	c.1333_1338dup	0	clear
Neuroaxonal Dystrophy (discovered in Papillons)	NAD	PLA2G6	c.1579G>A	0	clear
Ichthyosis 1 (discovered in Golden Retrievers)	ICTA1	PNPLA1	c.1445_1447delinsT ACTACTA	0	clear
Progressive degenerative myeloencephalopathy (discovered in Australian Shepherds)		PNPLA8	c.1169_1170dup	0	clear
Neuronal ceroid lipofuscinosis 1 (discovered in Dachshunds)	NCL1	PPT1	c.736_737insC	0	clear
Progressive Rod Cone Degeneration (discovered in many breeds)	PRA-prcd	PRCD	c.5G>A	0	clear
Severe combined immunodeficiency disease (discovered in Russell Terriers)	SCID	PRKDC	c.10849G>T	0	clear
Deafness (discovered in Doberman Pinschers)		PTPRQ	c.9230_9231insA	0	clear
Ataxia, cerebellar, juvenile to adolescent (discovered in Gordon Setters and Old English Sheepdogs)	HA	RAB24	c.113A>C	0	clear
Juvenile Laryngeal Paralysis and Polyneuropathy (discovered in Rottweilers and Black Russian Terriers)	JLPP	RAB3GAP1	c.743del	0	clear
Severe combined immunodeficiency disease (discovered in Frisian Water Dogs)	T-B-NK+ SCID	RAG1	c.2893G>T	0	clear
Cerebellar Ataxia (discovered in Belgian Shepherds)	CA1	RALGAPA1	c.6080-2893_6944+ 1003del	0	clear
Laryngeal paralysis (discovered in Miniature Bull Terriers and Bull Terriers)	LP	RAPGEF6	c.1793_1794ins36	0	clear
Thrombopathia (discovered in Basset Hounds)		RASGRP1	c.509_511del	0	clear
Thrombopathie (discovered in American Eskimo Spitz)		RASGRP1	c.452dup	0	clear
Thrombopathy (discovered in Landseers)		RASGRP2	c.982C>T	0	clear
Dilated cardiomyopathy (discovered in Schnauzers)	DCM	RBM20	22 bp deletion	0	clear
Cerebellar hypoplasia (discovered in White Swiss Shepherds)	CH	RELN	c.2839del	0	clear
Congenital Stationary Night Blindness (discovered in Briards)	CSNB	RPE65	c.460_463del	0	clear
Cone-rod dystrophy (discovered in Miniature Long-Haired Dachshunds)	CORD1	RPGRIP1	c.142_143ins[A[29]	0	clear
Neuronal degeneration (discovered in Great Pyrenees dogs)	SACS	SACS	c.12731_12734del	0	clear
Progressive retinal atrophy (discovered in Basenji)	Bas-PRA	SAG	c.1216T>C	0	clear
Charcot-Marie-Tooth disease (discovered in Miniature Schnauzers)	CMT	SBF2	c.2363+1G>T	0	clear
Van den Ende-Gupta syndrome (discovered in Fox Terriers Wire)	VDEGS	SCARF2	c.1873_1874del	0	clear
Spinocerebellar ataxia (discovered in Alpine Dachsbracke)		SCN8A	c.4898G>T	0	clear
Progressive Early-Onset Cerebellar ataxia (discovered in Finnish Hound)		SEL1L	c.1972T>C	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Central nervous systém atrophy with cerebellar ataxia (discovered in Belgian Shepherds)	CACA	SEPP1	c.-6582_*516del	0	clear
Canine Multiple Systems Degeneration (discovered in the Chinese Crested Dog)	CMSD	SERAC1	c.128+1_128+4delG TAA	0	clear
Canine Multiple System Degeneration (discovered in Kerry Blue Terriers)	CMSD	SERAC1	c.1482G>A	0	clear
Osteogenesis Imperfecta (discovered in Dachshunds)	OI	SERPINH1	c.977T>C	0	clear
Limb-Girdle Muscular Dystrophy Type R3 (discovered in Miniature Dachshunds)	LGMD	SGCA	c.224G>A	0	clear
Mucopolysaccharidosis IIIA (discovered in Dachshunds)	MPS IIIA	SGSH	c.740_742delCCA	0	clear
Hypomyelinating polyneuropathy (discovered in Golden Retrievers)		SH3TC2	c.1924C>T	0	clear
Cerebellar degeneration-myositis complex (discovered in Nova Scotia Duck Tolling Retrievers)	CDMC	SLC25A12	c.1337C>T	0	clear
Cerebellar degeneration-myositis complex (discovered in Dutch Shepherds)	CDMC	SLC25A12	c.1046T>C	0	clear
Ichthyosis (discovered in Great Danes)		SLC27A4	c.1250G>A	0	clear
Hyperuricosuria (discovered in many breeds)	HUU	SLC2A9	c.563G>T	0	clear
Cystinuria Type I-A (discovered in Newfoundlands)		SLC3A1	c.586C>T	0	clear
Cystinuria I-A (discovered in Labrador Retrievers)		SLC3A1	c.350del	0	clear
Hyperekplexia, Startle disease (discovered in Galgo)		SLC6A5	c.1379_1380delCT	0	clear
Neonatal cerebellar cortical degeneration (discovered in Hungarian Vizsla)	NCCD	SNX14	c.26531G>A	0	clear
Degenerative Myelopathy (discovered in many breeds)	DM	SOD1	c.118G>A	0	clear
Neonatal cerebellar cortical degeneration (discovered in Beagles)	NCCD	SPTBN2	c.5855_5862del	0	clear
Primary ciliary dyskinesia (discovered in Australian Shepherds)	PCD	STK36	c.2868-1G>A	0	clear
Nasal parakeratosis (discovered in Labrador Retrievers)	HNPk	SUV39H2	c.972T>G	0	clear
Neuroaxonal dystrophy (discovered in Spanish water dogs and Lagotto Romagnolo)	NAD	TECPR2	c.4009C>T	0	clear
Dystonia-ataxia syndrome (discovered in Weimaraners)		TNR	c.831dup	0	clear
Congenital hypothyroidism (discovered in French Bulldogs)	CHG	TPO	c.2242+2T>C	0	clear
Congenital hypothyroidism (discovered in Rat Terriers and Toy Fox Terriers)	CHG	TPO	c.331C>T	0	clear
Congenital hypothyroidism (discovered in Spanish Water Dogs)	CHG	TPO	c.39_40insG	0	clear
Progressive retinal atrophy 2 (discovered in Golden Retrievers)	GR-PRA2	TTC8	c.669delA	0	clear
Macrothrombocytopenia (discovered in many breeds)	MTC	TUBB1	c.745G>A	0	clear
Macrothrombocytopenia (discovered in Cairn Terriers and Norfolk Terriers)	MTC	TUBB1	c.5G>A	0	clear
Exfoliative cutaneous lupus erythematosus (discovered in German Shorthaired Pointers and Vizslas)	ECLC	UNC93B1	c.1438C>A	0	clear
Vitamin D-deficiency rickets type II (discovered in Pomeranians)		VDR	c.462del	0	clear
Cerebellar hypoplasia, Dandy-Walker-like malformation (discovered in Eurasians)	DWLM	VLDLR	c.1713del	0	clear
Neuroaxonal Dystrophy (discovered in Rottweilers)	NAD	VPS11	c.2504A>G	0	clear
Trapped Neutrophil Syndrome (discovered in Border Collies)	TNS	VPS13B	c.2893_2896del	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Von Willebrand disease II (discovered in Chinese Crested Dog and German Pointers)	VWD typ II	VWF	c.1657T>G	0	clear
Von Willebrand disease III (discovered in Shetland Sheepdogs)	vWD typ III	VWF	c.738del	0	clear
Von Willebrand disease I (discovered in many breeds)	VWD typ I	VWF	c.7437G>A	0	clear
Von Willebrand disease II (discovered in many breeds)	VWD typ II	VWF	c.4937A>G	1	carrier
Von Willebrand disease III (discovered in Scottish Terriers)	VWD typ III	VWF	c.255del	0	clear
Von Willebrand disease III (discovered in in Kooikerhondje)	VWD typ III	VWF	c.2186+1G>A	0	clear
Cardiomyopathy and juvenile mortality (discovered in Belgian Shepherds)	CJM	YARS2	c.1054G>A	0	clear

Association genetic tests

Name	Abbr.	Gene	Mutation	Copies	Result
Dilated Cardiomyopathy (discovered in Dobermanns)	DCM3	-	Chr5:53109178A>G	1	may affect
Dilated Cardiomyopathy (discovered in Dobermanns)	DCM4	-	Chr5:60531090G>A	0	no effect
Gallbladder mucoceles (discovered in Shetland Sheepdogs)	GBM	ABCB4	c.1660_1661insG	0	clear
Upper airway syndrome (discovered in Norwich Terriers)	UAS	ADAMTS3	c.2786G>A	1	carrier
Brachycephaly		BMP3	c.1344C>A	0	clear
Glomerulopathy (discovered in Airedale and Soft-Coated Wheaten Terriers)	PLN	KIRREL2	c.1877C>G	0	no effect
Dermatomyositis (discovered in Shetland Sheepdogs and Collies)	DMS locus B	MAP3K7CL	Chr31:24132273_24132282delins	0	no effect
Glomerulopathy (discovered in Airedale and Soft-Coated Wheaten Terriers)	PLN	NPHS1	c.3067G>A	0	no effect
Dermatomyositis (discovered in Shetland Sheepdogs and Collies)	DMS locus A	PAN2	Ch10:627760G>A	0	no effect
Dilated Cardiomyopathy (discovered in Dobermanns)	DCM1	PDK4	Chr14:20829667 del16	0	no effect
Dilated Cardiomyopathy (discovered in Welsh Springer Spaniels)	DCM	PLN	c.26G>A	0	clear
Obesity (discovered in Labrador and Flat-Coated Retrievers)		POMC	c.561_575del	0	clear
Cystinuria (discovered in Bulldogs)		SLC3A1	c.2092A>G	0	clear
Cystinuria (discovered in Bulldogs)		SLC3A1	c.574A>G	0	clear
Cystinuria (discovered in Bulldogs)		SLC7A9	c.649G>A	1	may affect
Dilated Cardiomyopathy (discovered in Dobermanns)	DCM2	TTN	g.22321955C>T	0	no effect

X-linked hereditary disorders

Name	Abbr.	Gene	Mutation	Copies	Result
X-linked hereditary nephropathy (discovered in Samoyed)	HN	COL4A5	c.3079G>T	0	clear
Muscular Dystrophy (discovered in Golden retrievers)	GRMD	DMD	c.531-2A>G	0	clear
Duchenne muscular dystrophy (discovered in Kavalier King Charles Spaniels)	DMD	DMD	c.7294+5G>T	0	clear
Duchenne muscular dystrophy (discovered in Kavalier King Charles Spaniels)	DMD	DMD	c.6057_6063del	0	clear

Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
 www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.

Muscular dystrophy, Duchenne type (discovered in Border Collies)	DMD	DMD	c.2841delT	0	clear
Muscular dystrophy, Duchenne type (discovered in Labradoodles)	DMD	DMD	c.2668C>T	0	clear
Muscular dystrophy, Duchenne type (discovered in Norfolk Terriers)	DMD	DMD	c.3084delG	0	clear
Anhidrotic Ectodermal Dysplasia (discovered in German Shepherds)		EDA	c.910-1G>A	0	clear
Haemophilia B (discovered in Rhodesian Ridgebacks)		F9	c.731G>A	0	clear
Severe combined immunodeficiency disease (discovered in Welsh Corgi)	XSCID	IL2RG	c.583_584insC	0	clear
Myotubular myopathy 1 (discovered in Labrador Retrievers)	MTM1	MTM1	c.465C>A	0	clear
Myotubular myopathy 1 (discovered in Rottweilers)	MTM1	MTM1	c.1151A>C	0	clear
Shaking puppy syndrom, Tremor (discovered in English Springer Spaniels)	SPS	PLP1	c.110A>C	0	clear
X-Linked Progressive Retinal Atrophy 1 (discovered in Siberian Husky and Samoyed)	XL-PRA	RPGR	c.3416_3420del	0	clear

Explanation

Interpretation of the results can be found on the website <https://www.genomia.cz/en/veterinari/psi/> on the pages of the respective examinations.

The mutations listed are annotated according to the CanFam3.1 reference sequence.

Recessive inheritance: the trait (disease) becomes apparent if the individual inherits it from both parents (2 copies); carriers of the trait (disease) are asymptomatic but pass the causal mutation on to the next generation (1 copy).

Dominant inheritance: it is sufficient for an individual to inherit the trait (disease) from one parent (1 copy).

X-linked recessive inheritance: in males, 1 copy of the mutated gene is enough to cause the disease; in females, 2 copies of the mutated gene are needed to cause the disease.

The results of the association genetic tests indicate the predisposition to the disease. This is not a detection of a causal mutation of the disease.

Method: SOP188-MPS-canine, MPS

Date of issue: 06.02.2021

Date of testing: 01.02.2021 - 06.02.2021

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.