

Customer: Jan Novák, Dlouhá 1, 30000 Plzeň, Czech Republic**Sample:**

Sample: 08-12346

Date received: 01.01.2008

Sample type: buccal swab

Information provided by the customer

Name: Madame Théophile DEMO**Breed:** Persian cat

Date of birth: 31.12.1909

Reg. number: (CZ)ABCD EF 123/45/XYZ

Microchip: 123 456 789 012 345

Sex: female

Date of sampling: 01.01.2008

The identity of the animal has been checked.

Result: Mutation was not detected (N/N)**Legend:** N/N = wild-type genotype. N/P = carrier of the mutation. P/P = mutated genotype (individual will be most probably affected with the disease). (N = negative, P = positive)**Explanation**

Presence or absence of c.1321del mutation in F12 gene causing coagulation factor XII deficiency in many cat breeds was tested. This mutation occurs in the American Shorthair, Balinese, Bengal, Cimmerian, Himalayan, Maine Coon, Manx, Savannah, Siamese, and Highlander, Minuet, Munchkin, Ragdoll, and Tennessee Rex breeds. The deficiency does not cause excessive bleeding but is manifested by an increased activated partial thromboplastin time, an indicator of hemocoagulation function.

Mutation that causes factor XII deficiency is inherited autosomally recessively which means that the disease develops only in those cats who inherit mutated allele from both parents; disease affects cats with P/P genotype only. The cats with N/P genotype are considered carriers of the disease (heterozygotes). In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N, 25 % P/P and 50 % N/P.

Method: SOPAgriseq_feline, ngs

Date of issue: 06.01.2008

Date of testing: 12.06.2008 - 06.01.2008

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: 12AB-CD34-GENO-MIA0-EFGH. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.